AMENDMENTS TO THE CLAIMS:

Please amend claims 12 and 17-20 as follows.

This listing of claims will replace all prior versions, and listings, of claims in the application:

12. (Currently Amended) A method of producing a fiber reinforced composite by pultrusion having variable strength characteristics along its length, said method comprising including the steps of:

drawing through a pultrusion die a series of reinforcing fibers to form a pultruded fiber composite product characterised by

incorporating in the reinforcing fibers prior to the <u>pultrusiondrawing</u> step additional fibers in order to vary the strength characteristics of the final product substantially without altering the cross-sectional area thereof, a plastics matrix material being applied around the fibers and allowed to solidify to form the finished composite.

- 13. (Previously presented) A method according to claim 12 in which the additional fibers have a characteristic different from that of the said reinforcing fibers.
- 14. (*Previously presented*) A method according to claim 13 in which the said characteristic is selected from the group fiber tenacity and fiber modulus.
- 15. (Previously presented) A method according to claim 12 in which the additional fibers are spliced between discrete lengths of the reinforcing fibers.

- 16. (*Previously presented*) A method according to claim 12 in which the additional fibers are interlaced amongst continuous said reinforcing fibers.
- 17. (Currently amended) A method according to claim 12 in which the plastics matrix material is applied to the <u>additional fibers</u>, within the die during the drawing step.
- 18. (Currently amended) A method according to claim 12 in which the <u>additional</u> fibers are pre-impregnated with a plastics matrix material before being drawn through the <u>diesaid drawing step</u>.
- 19. (Currently amended) A method according to claim 12 in which the reinforcing fibers are in the form of a woven web.
- 20. (Currently amended) A method according to claim 12 in which the reinforcing fibers are in the form of a non-woven web.
- 21. (*Previously presented*) A composite structural member produced according to the method of claim 12.
- 22. (*Previously presented*) A composite structural member according to claim 21 comprising an aircraft skin stringer.
- 23. (*Previously presented*) An aircraft airfoil incorporating a composite structural member according to claim 21.

GRAY Appl. No. 09/486,183 April 6, 2004

24. (*Previously presented*) An aircraft containing a composite produced according to the method of claims 12.